



CONTENTS OF VOLUME 60

Issue 1

Papers

- 1 Effects of annealing on the physicochemical properties of fermented cassava starch (*polvilho azedo*)
A. M. M. GOMES, C. E. MENDES DA SILVA & N. M. P. S. RICARDO (FORTALEZA, BRAZIL)
- 7 Anticoagulant and antithrombotic activity of a sulfate obtained from a glucan component of the lichen *Parmotrema mantiqueirense* Hale
J. C. MARTINICHEN-HERRERO (CASCAVEL-PR, BRAZIL), E. R. CARBONERO, P. A. J. GORIN & M. IACOMINI (CURITIBA-PR, BRAZIL)
- 15 Characteristics of degraded hemicellulosic polymers obtained from steam exploded wheat straw
X. F. SUN (YANGLING, CHINA), F. XU (GUANGZHOU, CHINA), R. C. SUN (BANGOR, UK), Z. C. GENG (YANGLING, CHINA), P. FOWLER & M. S. BAIRD (BANGOR, UK)
- 27 Advance in the applications of konjac glucomannan and its derivatives
Y.-Q. ZHANG, B.-J. XIE & X. GAN (HUBEI, CHINA)
- 33 Preparation of high antimicrobial activity thiourea chitosan–Ag⁺ complex
S. CHEN, G. WU (SHANGHAI, CHINA) & H. ZENG (XIANGTAN, CHINA)
- 39 Development of biodegradable laminate films derived from naturally occurring carbohydrate polymers
J. M. FANG, P. A. FOWLER (BANGOR, UK), C. ESCRIG, R. GONZALEZ, J. A. COSTA & L. CHAMUDIS (VALENCIA, SPAIN)
- 43 Isolation and characterization of polysaccharides from *Agaricus blazei* Murill
M. L. C. GONZAGA, N. M. P. S. RICARDO (FORTALEZA-CEARÁ, BRAZIL), F. HEATLEY (MANCHESTER, UK) & S. DE A. SOARES (FORTALEZA-CEARÁ, BRAZIL)
- 51 Chitosan/acid dye interactions in wool dyeing system
D. JOCIC (TERRASSA, SPAIN), S. VÍLCHEZ (BARCELONA, SPAIN), T. TOPALOVIC (BELGRADE, SERBIA AND MONTENEGRO), A. NAVARRO (TERRASSA, SPAIN), P. JOVANCIC (BELGRADE, SERBIA AND MONTENEGRO), M. R. JULIÀ & P. ERRA (BARCELONA, SPAIN)
- 61 High efficient fabrication of chitosan micropowder by combination of gamma radiation and jet pulverization
G. WU, D. LONG, S. CHEN & S. YAO (SHANGHAI, CHINA)
- 67 Preparation, characterization and sorption properties of crosslinked starch-based exchangers
F. DELVAL (GENÈVE, SWITZERLAND), G. CRINI (BESANÇON, FRANCE), S. BERTINI (MILANO, ITALY), C. FILIATRE (BESANÇON, FRANCE) & G. TORRI (MILANO, ITALY)
- 77 Isolation and structural characterization of polysaccharides dissolved in *Eucalyptus globulus* kraft black liquors
S. A. LISBOA, D. V. EVTUGUIN, C. P. NETO & B. J. GOODFELLOW (AVEIRO, PORTUGAL)
- 87 Rheological properties of hydrophobically modified carboxymethylcelluloses
D. CHARPENTIER-VALENZA, L. MERLE (MONT SAINT-AIGNAN, FRANCE), G. MOCANU (IASI, ROMANIA), L. PICTON & G. MULLER (MONT SAINT-AIGNAN, FRANCE)
- 95 Immunological activities and structure of pectin from *Centella asiatica*
X. S. WANG, L. LIU & J. N. FANG (SHANGHAI, CHINA)
- 103 A novel approach to grafting polymerization of ϵ -caprolactone onto starch granules
L. CHEN, Y. NI, X. BIAN, X. QIU, X. ZHUANG, X. CHEN & X. JING (CHANGCHUN, CHINA)

- 111 Urea and formamide as a mixed plasticizer for thermoplastic wheat flour
X. F. MA, J. G. YU & Y. B. MA (TIANJIN, CHINA)
- 117 Ceric-induced grafting of acrylonitrile onto sodium salt of partially carboxymethylated guar gum
J. H. TRIVEDI, K. KALIA, N. K. PATEL & H. C. TRIVEDI (GUJARAT, INDIA)

Book reviews

- 127 Handbook of Proteolytic Enzymes, Second Edition (2 Volumes)
- 127 The GMO Hand book: Genetically Modified Animals, Microbes, and Plants in Biotechnology
- 129 Calendar
- 131 Bibliography

Issue 2

Papers

- 139 Characterization of some properties of starches isolated from *Xanthosoma sagittifolium* (tannia) and *Colocassia esculenta* (taro)
E. PÉREZ (CARACAS, VENEZUELA), F. S. SCHULTZ (USA) & E. P. DE DELAHAYE (VENEZUELA)
- 147 Influence of reaction conditions on the location of reactions in waxy maize starch granules reacted with a propylene oxide analog at low substitution levels
J. A. GRAY & J. N. BEMILLER (WEST LAFAYETTE, USA)
- 163 Cereal α -amylases—an overview
G. MURALIKRISHNA (MYSORE, INDIA) & M. NIRMALA (INDIANA POLIS, USA)
- 175 Degradation of chitosan and starch by 360-kHz ultrasound
R. CZECHOWSKA-BISKUP, B. ROKITA (LODZ, POLAND), S. LOTFY (CAIRO, EGYPT), P. ULANSKI & J. M. ROSIAK (LODZ, POLAND)
- 185 Properties of starch based blends. Part 2. Influence of poly vinyl alcohol addition and photocrosslinking on starch based materials mechanical properties
N. FOLLAIN, C. JOLY, P. DOLE & C. BLIARD (REIMS, FRANCE)
- 193 The yeast *Saccharomyces cerevisiae* stress response protein Hsp12p decreases the gel strength of agarose used as a model system for the β -glucan layer of the cell wall
R. J. KARREMAN, W. F. BRANDT & G. G. LINDSEY (RONDEBOSCH, SOUTH AFRICA)
- 199 Structural elucidation of bioactive fungi-derived polymers
P. METHACANON, S. MADLA, K. KIRTIKARA & M. PRASITSIL (PATHUMTHANI, THAILAND)
- 205 Isolation and structural characterization of protopectin from the skin of *Opuntia ficus-indica* prickly pear fruits
Y. HABIBI, M. MAHROUZ (MARRAKECH, MAROC) & M. R. VIGNON (GRENOBLE, FRANCE)
- 215 Influence of ascorbic acid on the stability of chitosan solutions
J. ZOLDNERS, T. KISELEVA & I. KAIMINSH (RIGA, LATVIA)
- 219 Preparation and characterization of *N*-acetylchitosan, *N*-propionylchitosan and *N*-butyrylchitosan microspheres for controlled release of 6-mercaptopurine
F.-L. MI, C.-K. PENG, M.-F. HUANG, S.-H. LO & C.-C. YANG (TAIWAN, ROC)
- 229 Synthesis of *O,O'*-dipalmitoyl chitosan and its amphiphilic properties and capability of cholesterol absorption
Y. TONG, S. WANG, J. XU, B. CHUA & C. HE (SINGAPORE)
- 235 Physicochemical and microstructural characterization of films prepared by thermal and cold gelatinization from non-conventional sources of starches
C. A. ROMERO-BASTIDA, L. A. BELLO-PÉREZ (MORELOS, MÉXICO), M. A. GARCÍA, M. N. MARTINO (LA PLATA, ARGENTINA), J. SOLORZA-FERIA (MORELOS, MÉXICO) & N. E. ZARITZKY (LA PLATA, ARGENTINA)

- 245 Physicochemical properties and amylopectin structures of large, small, and extremely small potato starch granules
T. NODA, S. TAKIGAWA, C. MATSUURA-ENDO, S.-J. KIM, N. HASHIMOTO, H. YAMAUCHI (HOKKAIDO, JAPAN), I. HANASHIRO & Y. TAKEDA (KORIMOTO, JAPAN)
- 253 Preparation of alginate-polymethacrylate hybrid material by radical polymerization of cationic methacrylate monomer in the presence of sodium alginate
J.-I. KADOKAWA (KORIMOTO, JAPAN), S. SAITOU & S.-I. SHODA (AOBA-KU, JAPAN)
- 259 Carboxymethylation of cellulose in the new solvent dimethyl sulfoxide/tetrabutylammonium fluoride
L. A. RAMOS (JENA, GERMANY), E. FROLLINI (SÃO CARLOS, BRAZIL) & TH. HEINZE (JENA, GERMANY)
- 269 Calendar
- 271 Bibliography

Issue 3

Papers

- 277 Synthesis and characterization of Schiff bases from chitosan and salicylaldehyde derivatives
J. E. DOS SANTOS, E. R. DOCKAL & É. T. G. CAVALHEIRO (SÃO CARLOS, BRAZIL)
- 283 Water sorption and mechanical properties of cassava starch films and their relation to plasticizing effect
S. MALI, L. S. SAKANAKA, F. YAMASHITA & M. V. E. GROSSMANN (LONDRINA-PR, BRAZIL)
- 291 Rheological and structural properties of cold-water-swelling and heated cross-linked waxy maize starch dispersions prepared in apple juice and water
Y. MENG & M. A. RAO (GENEVA, NY, USA)
- 301 Removal of Pb (II) by crosslinked amphoteric starch containing the carboxymethyl group
S.-M. XU, S. FENG, G. PENG, J.-D. WANG & A. YUSHAN (XINJIANG, CHINA)
- 307 Homogalacturonans from lime pectins exhibit homogeneous charge density and molar mass distributions
P. HELLÍN, M.-C. RALET, E. BONNIN & J.-F. THIBAUT (NANTES, FRANCE)
- 319 Arabinan-rich polysaccharides isolated and characterized from the endosperm of the seed of *Opuntia ficus-indica* prickly pear fruits
Y. HABIBI, M. MAHROUZ (MARRAKECH, MAROC) & M. R. VIGNON (GRENOBLE, FRANCE)
- 331 Physicochemical characteristics and thermal properties of chemically modified jack bean (*Canavalia ensiformis*) starch
O. S. LAWAL (OGUN STATE, NIGERIA) & K. O. ADEBOWALE (IBADAN, NIGERIA)
- 343 Preparation and characterization of hexanoyl chitosan/polylactide blend films
M. PEESAN, P. SUPAPHOL & R. RUJIRAVANIT (BANGKOK, THAILAND)
- 351 Microwave-assisted graft copolymerization of ϵ -caprolactone onto chitosan via the phthaloyl protection method
L. LIU, Y. LI, Y.-E. FANG & L. CHEN (ANHUI, CHINA)
- 357 Chemo-enzymatic synthesis of disaccharide-branched copolymers with high molecular weight
X. WANG, Q. WU, N. WANG & X.-F. LIN (HANGZHOU, CHINA)
- 363 Swelling, mechanical properties and effect of annealing of scleroglucan gels
E. AASPRONG, O. SMIDSRØD & B. T. STOKKE (TRONDHEIM, NORWAY)
- 379 Enzyme and acid resistance of amylose-lipid complexes differing in amylose chain length, lipid and complexation temperature
G. G. GELDERS, J. P. DUYCK, H. GOESAERT & J. A. DELCOUR (LEUVEN, BELGIUM)
- 391 Populations having different GalA blocks characteristics are present in commercial pectins which are chemically similar but have different functionalities
S. E. GUILLOTIN, E. J. BAKX (WAGENINGEN, THE NETHERLANDS), P. BOULENGUER, J. MAZOYER (BAUPTÉ, FRANCE), H. A. SCHOLS & A. G. J. VORAGEN (WAGENINGEN, THE NETHERLANDS)

- 399 Intermolecular interaction and properties of cross-linked materials from poly(ester-urethane) and nitrochitosan
M. ZENG, L. ZHANG (WUHAN, CHINA) & J. F. KENNEDY (BIRMINGHAM, UK)

Book reviews

- 411 Wine Tasting: A Professional Handbook
411 Safety of Genetically Engineered Foods: Approaches to Assessing Unintended Health Effects
413 Calendar
415 Bibliography

Issue 4

Papers

- 421 The antimicrobial activity of cotton fabrics treated with different crosslinking agents and chitosan
K. F. EL-TAHLAWY, M. A. EL-BENDARY, A. G. ELHENDAWY (CAIRO, EGYPT) & S. M. HUDSON (RALEIGH, NC, USA)
- 431 Impact of the structure of arabinoxylan gels on their rheological and protein transport properties
E. CARVAJAL-MILLAN, S. GUILBERT, M.-H. MOREL & V. MICARD (MONTPELLIER, FRANCE)
- 439 A solid state NMR study of locust bean gum galactomannan and Konjac glucomannan gels
M. C. VIEIRA & A. M. GIL (AVEIRO, PORTUGAL)
- 449 Uronic acid-containing glycopeptides from *Fusarium oxysporum*: Possible significance as chemotypes
R. B. DA SILVA, S. A. RIBEIRO (RIO DE JANEIRO, BRAZIL), G. L. SASSAKI, P. A. J. GORIN (CURITIBA, BRAZIL) & E. BARRETO-BERGTER (RIO DE JANEIRO, BRAZIL)
- 457 Behavior of cellulose production of *Acetobacter xylinum* in ^{13}C -enriched cultivation media including movements on nematic ordered cellulose templates
S. HESSE (JENA, GERMANY) & T. KONDO (IBARAKI, JAPAN)
- 467 Capillary electrophoresis of homogeneous pectin fractions
A. STRÖM (BEDFORD, UK), M.-C. RALET, J.-F. THIBAUT (NANTES, FRANCE) & M. A. K. WILLIAMS (PALMERSTON NORTH, NEW ZEALAND)
- 475 Solution properties of starch nanoparticles in water and DMSO as studied by dynamic light scattering
S. CHAKRABORTY, B. SAHOO, I. TERAOKA & R. A. GROSS (BROOKLYN, NY, USA)
- 483 Inhibitory activity of phosphorylated chitooligosaccharides on the formation of calcium phosphate
S.-K. KIM (BUSAN, SOUTH KOREA), P.-J. PARK (CHUNGJU, SOUTH KOREA), W.-K. JUNG (BUSAN, SOUTH KOREA), H.-G. BYUN (CHUNGJU, SOUTH KOREA), E. MENDIS (BUSAN, SOUTH KOREA) & Y.-I. CHO (HAYANG, SOUTH KOREA)
- 489 Structure of hardwood glucuronoxylans: modifications and impact on pulp retention during wood kraft pulping
P. C. PINTO, D. V. EVTUGUIN & C. P. NETO (AVEIRO, PORTUGAL)
- 499 Cation-induced polymorphism in iota-carrageenan
S. JANASWAMY & R. CHANDRASEKARAN (WEST LAFAYETTE, IN, USA)
- 507 Physico-chemical properties of seed xyloglucans from different sources
R. A. FREITAS (ITAJAÍ, BRAZIL), S. MARTIN, G. L. SANTOS, F. VALENGA (CURITIBA, BRAZIL), M. S. BUCKERIDGE (SÃO PAULO, BRAZIL), F. REICHER & M.-R. SIERAKOWSKI (CURITIBA, BRAZIL)
- 515 Variability in cell wall preparations: quantification and comparison of common methods
C. M. G. C. RENARD (LE RHEU, FRANCE)
- 523 IPNs based on chitosan with NVP and NVP/HEMA synthesised through photoinitiator-free photopolymerisation technique for biomedical applications
L.-T. NG & S. SWAMI (SYDNEY, AUSTRALIA)

- 529 Starches from different botanical sources I: Contribution of amylopectin fine structure to thermal properties and enzyme digestibility
S. SRICHUWONG (KAMIHAMA, JAPAN), T. C. SUNARTI (BOGOR, INDONESIA), T. MISHIMA (TAKANOO, JAPAN), N. ISONO & M. HISAMATSU (KAMIHAMA, JAPAN)
- 539 In vitro fermentation of chitosan derivatives by mixed cultures of human faecal bacteria
C. L. VERNAZZA, G. R. GIBSON & R. A. RASTALL (WHITEKNIGHTS, UK)

Short communications

- 547 A combination of gamma irradiation and CaCl_2 immersion for a pectin-based biodegradable film
H. J. KANG (DAEGU, SOUTH KOREA), C. JO, N. Y. LEE (DAEJEON, SOUTH KOREA), J. H. KWON (DAEGU, SOUTH KOREA) & M. W. BYUN (DAEJEON, SOUTH KOREA)
- 553 Prolyl endopeptidase inhibitory activity of chitosan sulfates with different degree of deacetylation
J.-Y. JE (BUSAN, SOUTH KOREA), P.-J. PARK (CHUNGJU, SOUTH KOREA) & S.-K. KIM (BUSAN, SOUTH KOREA)

Book reviews

- 557 The Art of Scientific Writing, 2nd Edition
- 557 Health, Safety and Environment Legislation: A Pocket Guide
- 558 Technology of Bottled Water
- I Calendar
- III Contents of Volume 60